The association between parental and child alcohol consumption: Trends from Growing Up in Ireland

Dr Eoin McNamara

Research and Evaluation Unit Department of Children, Equality, Disability, Integration and Youth

GUI Conference, Nov 2023

Fás Aníos in Éirinn Growing Up in Ireland

ALCOHOL RISKS

- Causal relationship with 200+ negative health outcomes
 - Injury, traffic incidents, cancers, CVD, liver disease, mental health conditions
- Ireland: 3 alcohol-related deaths per day, 70% under-65yrs (HSE)
- Irish people consume relatively higher levels of alcohol
 - 7th/189 for alcohol consumption per capita (WHO)

YOUNG PEOPLE & ALCOHOL

- Legal to buy from 18yrs, can consume at younger age (with parental consent)
 - First harmful, addictive substance (mis)used in adolescence
- Risks: injury, crime, dependence, mental health, cognitive impairment
- Ireland: similar drinking frequency to int'l peers but more likely to binge drink
 - 7th/35 for drunkenness (2019 ESPAD report)

PARENT'S IMPACT ON CHILD DRINKING

1) Parental Drinking Behaviour

Parental problem drinking linked to child problem drinking

2) Parent's Attitude

- Providing alcohol to child linked to onset age
- Liberal attitude (approval of use, lack of strict clear rules) linked to problem drinking

3) Parent-Child Relationship


- Problem drinking can potentially be mitigated by good parent-child relationship
 - High parental monitoring / Good communication

Q. Is there an association between child & parental drinking behaviour, and is it moderated by good parent-child relationship?

METHODS

GUI: National longitudinal study of children and young people

- Two cohorts recruited in 2007
 - Cohort '98 (n ≈ 8,500)
- Fixed-panel: same children interviewed (CAPI/CASI) every few years
- Topics: health; well-being; education; civic engagement; family background



AUDIT Screening Tool

Alcohol Use Disorders Identification Test (AUDIT)


Developed by the WHO, helps categorize drinking behaviour

10 questions relating to...

- How much you drink regularity / amount?
- Negative outcomes caused by excessive drinking
 - unable to stop drinking once you started?
 - feelings of guilt or remorse?
 - caused injury to you or someone else?
 - relative/friend/doctor concerned about your drinking?

No / Low risk → Risky / Hazardous → Very risky / Alcohol dependence

FINDINGS



- Gender difference persists
 - Boys more likely to drink earlier/more
- Social gradient switches direction
- Longitudinal trends

'Very risky' at 20...

...if they drank before 15

= 30%

...if they were 'very risky' at 17 = 51%

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.54**		
	Father - problem drinker	1.29		
Parent-Child Relationship	Parental control			
Quality	Maternal monitoring			
	Maternal disclosure			
	Paternal monitoring			
	Paternal disclosure			

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.54**		
	Father - problem drinker	1.29		
Parent-Child Relationship	Parental control			
Quality	Maternal monitoring			
	Maternal disclosure			
	Paternal monitoring			
	Paternal disclosure			

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.54**	1.52*	
	Father - problem drinker	1.29	-	
Parent-Child Relationship	Parental control		0.97**	
Quality Maternal monitoring		0.97*		
	Maternal disclosure		0.93**	
	Paternal monitoring		-	
	Paternal disclosure		-	

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.54**	1.52*	-
Father - problem drinker	1.29	-	1.24	
Parent-Child Relationship	Parental control		0.97**	0.96**
Quality Maternal monitoring		0.97*	-	
	Maternal disclosure		0.93**	-
	Paternal monitoring		-	0.97*
	Paternal disclosure		-	0.97

Females only, Regression – 17-year-old 'very risky' drinker

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.98**		
	Father - problem drinker	1.53		
Parent-Child Relationship	Parental control			
Quality Maternal monitoring	Maternal monitoring			
	Maternal disclosure			
	Paternal monitoring			
	Paternal disclosure			

Females only, Regression – 17-year-old 'very risky' drinker

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.98**	1.74*	
	Father - problem drinker	1.53	-	
Parent-Child Relationship	Parental control		0.96*	
Quality	Maternal monitoring		1.00	
	Maternal disclosure		0.87**	
	Paternal monitoring		-	
	Paternal disclosure		-	

Females only, Regression – 17-year-old 'very risky' drinker

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.98**	1.74*	-
	Father - problem drinker	1.53	-	1.46
Parent-Child Relationship	Parental control		0.96*	0.98
Quality	Maternal monitoring		1.00	-
	Maternal disclosure		0.87**	-
	Paternal monitoring		-	0.97
	Paternal disclosure		-	0.94

Males only, Regression – 17-year-old 'very risky' drinker

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.27		
	Father - problem drinker	1.15		
Parent-Child Relationship	Parental control			
Quality Maternal monitoring	Maternal monitoring			
	Maternal disclosure			
	Paternal monitoring			
	Paternal disclosure			

Males only, Regression – 17-year-old 'very risky' drinker

		Unadjusted Odds Ratio	Mother – Fully Adjusted Odds Ratio	Father – Fully Adjusted Odds Ratio
Parental Drinking Behaviour	Mother - problem drinker	1.27	1.31	-
Father - problem drinker	1.15	-	1.08	
Parent-Child Relationship	Parental control		0.97*	0.95**
Quality Maternal monitoring		0.95**	-	
	Maternal disclosure		0.97	-
	Paternal monitoring		-	0.96
	Paternal disclosure		-	0.99

SUMMARY

- Worrying drinking behaviour
 - Longitudinal effect: early onset & risky drinking linked to later risky drinking
- Parent drinking behaviour predicts child drinking behaviour
 - R'ship only observed between mother and daughter
- Good parent-child relationship has protective effect
 - Some evidence of moderation of the effect of parent drinking
- Future Research:
 - Parental attitudes
 - What factors are impacted male problem drinking?
 - Negative health outcomes

Thank You

- colleagues at DCEDIY, CSO, ESRI, TCD
- participant children and families

Happy to take questions, or for more info...

- eoin.mcnamara@equality.gov.ie
- www.growingup.gov.ie

PARENT-CHILD INTERACTIONS

17-YEAR-OLD DRINKING 'HIGH RISK'						
	Unadjusted OR	Adjusted OR Mother	Adjusted OR Father			
Mother's drinking 'hazardous'	1.54**	1.52**				
Father's drinking 'hazardous'	1.29		1.24			
Gender (male)	1.50**	1.26	1.38*			
Age (17)	0.74*	0.77	0.81			
Family structure (lone)	1.46**	1.27	1.48			
Parental monitoring (high)	0.93**	0.97*	0.97*			
Parental disclosure (high)	0.91**	0.93**	0.97			
Parental control (high)	0.95**	0.97**	0.96**			

Regression Analysis - Dependent Variable: 20YO 'HIGH RISK'

	Unadjusted OR	
Parent's drinking 'hazardous'	1.30*	
Parental admiration	0.91**	
Parental intimacy	0.89**	
Parental conflict	1.17**	
Parental unreliability	1.11**	
Disagreements about drinking	3.56**	
Disagreements about late nights	2.30**	

Regression Analysis - Dependent Variable: 20YO 'HIGH RISK'

	Unadjusted OR	Adjusted OR
Parent's drinking 'hazardous'	1.30*	1.34*
Parental admiration	0.91**	1.03
Parental intimacy	0.89**	0.98
Parental conflict	1.17**	1.09*
Parental unreliability	1.11**	1.08*
Disagreements about drinking	3.56**	2.84**
Disagreements about late nights	2.30**	1.55**